

<section-header><section-header></section-header></section-header>			
	Body		
Body components	The complete fiberglass body kit consists the following 12 pieces: 1 cockpit, 2 doors, 2 front fenders with built-in headlight bulkheads, 2 front fender streamline panels, 1 nose with front wing, 1 front hood with suspension cover, 2 rocker panels, 1 rear engine clamshell. All body		
Windscreen, side windows & light	panels are sanded, finished with primer coat and ready to accept paint Polished plexiglass windscreen, 2 lexan side windows and 2 front light		
covers	covers (all made from vacuum formed sheets)		
Frameworks for body kit	Steel insert structural frames for both doors and front nose		
	ar air intake both sides and fitting works		
	poiler assembly 5 pieces with aluminum structure insert		
	Rear end floor / diffuser		
	2 rear turn signal lights		
	Fuel inlet port(left or right)		
The Har an article	2 Rear brake lights		
	ng works and decoration in British Racing Green		
	+ fitting works(Laminated safety windscreen available by add. fee)		
S	ide window fitting and painting works		
Laser	cut door hinges with gas mechanism(a pair)		
	2 Aero latches for front hood		
	2 Door handles(Exterior)		
	13 UK made Protex latches		



2 Door locks 2 ZR 19x10 Aluminum wheels with tires 2 ZR 19x8 Aluminum wheels with tires 2 ZR 19 x8 Aluminum wheels with tires 2 U Weel lugs 2 custom made LMP style seats 4 Front head lights + 2 turn signal lights Chassis Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front sarms, 2 Rear a-arms 2 Front uprights, 2 Rear uprights Laser cut aluminum floor pan fix with rivets Laser cut aluminum floor pan fix with rivets Laser cut aluminum floor pan fix with rivets All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corrette CS mounted to uprights Pront Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear & pinion Unit Steering column* u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QAI adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir		AEROMASTER
2 ZR 19 x8 Aluminum wheels with tires 20 Wheel lugs 2 custom made LMP style seats 4 Front head lights + 2 turn signal lights Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Tront uprights, 2 Rear uprights Laser cut aluminum floor pan fix with rivets Laser cut aluminum floor pan fix with rivets Laser cut aluminum floor pan fix with rivets All a-arms will be linked to chassis with rol-ends 4 wheel hub-bearings from Convete CS mounted to uprights Front Witwood 6 piston brake include brake pads(a pair) A pair front 13° drilled vent rotors Rear Witwood 4 piston brake include brake pads(a pair) Arpair front 12° drilled vent rotors Rear Witwood 4 piston brake include brake pads(a pair) Front Witwood 4 piston brake include brake pads(a pair) Arpair front 12° drilled vent rotors Rear Witwood 4 piston brake include brake pads(a pair) Front Witwood 4 piston brake include brake pads(a pair) Arpair front 12° drilled vent rotors Rear Witwood 4 piston brake include brake pads(a pair) Front Witwood 4 piston brake include brake pads(a pair) Arpair front 12° drilled vent rotors Rear Witwood 4 piston brake include brake pads(a pair) Fine fitting and hours pre-installation works 2 front (Al adjustable shock+ 2 coil over springs 2 front (Al adjustable shock+ 2 coil over springs Brane (Al adjustable s		2 Door locks
20 Wheel lugs 2 custom made LMP style seats 4 Front head lights + 2 turn signal lights Chassis Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Fort uprights,2 Rear uprights Laser cut cockpit aluminum floor pan fix with rivets Laser cut cockpit aluminum floor pan fix with rivets Laser cut cockpit aluminum panels x6 pieces Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends All a-arms will be linked to chassis with rod-ends Al wheel hub-bearings from Corrette C5 mounted to uprights Front Wiluwod 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wiluwod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Brack & pinion Unit Steering column+ u-joint (fIIID or LIID available) Steering undel MOMO Fine fitting and hours pre-installation works 2 front (Al adjustable shock+ 2 coil over springs OBP pedal bx include master cylinders and fluid reservoir OBP pedal bx include master cylinders and fluid reservoir BBP pedal bx include master cylinders and fluid reservoir BBP pedal bx include master cylinders and fluid reservoir BBP pedal bx include master cylinders and fluid reservoir BBP pedal bx include master cylinders and fluid r		2 ZR 19x10 Aluminum wheels with tires
2 custom made LMP style seats 4 Pront head lights+ 2 turn signal lights Chassis Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms. 2 Rear a-arms 2 Pront uprights.2 Rear uprights 2 Fortu uprights.2 Rear uprights Laser cut aduminum floor pan fix with rivets 2 arms. 2 Near a-arms I Laser cut accept engines with up to 600 HP output. 2 Fortu uprights.2 Rear uprights Main chassis Kit 2 Fortu uprights.2 Rear uprights Laser cut accept aduminum floor pan fix with rivets 2 arms. 2 Near a-arms I Laser cut accept aduminum panels x6 pieces Various bolts and nuts Pourder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends A uheel hub-bearings from Corvette C5 mounted to uprights Fort Wilucod 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilucod 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Reak & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering ubeel MOMO Fine fitting and hours pre-installation works 2 front QA1 adi		2 ZR 19 x8 Aluminum wheels with tires
		20 Wheel lugs
Chassis Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Front a-arms, 2 Rear uprights. 2 Front a-arms, 2 Rear uprights Laser cut aduminum floor pan fix with rivets 2 Laser cut cockpit aluminum panels x6 pieces Various bolts and nuts Pouder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads[a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads[a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads[a pair) Steering column+ ujoint (RIID or LID available) Steering olumn+ ujoint (RIID or LID available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir OBP pedal box include master cylinders and fluid reservoir		2 custom made LMP style seats
Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Front uprights, 2 Rear uprights 2 Laser cut aluminum floor pan fix with rivets 2 Laser cut cockpit aluminum panels x6 pieces 2 Various bolts and nuts 2 Powder coating treatment for all metal parts 3 All a-arms will be linked to chassis with rod-ends 3 4 wheel hub-bearings from Corvette C5 mounted to uprights 3 Front Witwood 6 piston brake include brake pads(a pair) 4 A pair front 13" drilled vent rotors 3 Rear Witwood 4 piston brake include brake pads(a pair) 4 Steering column+ u-joint (RIID or LIID available) 3 Steering wheel MOMO 5 Fine fitting and hours pre-installation works 2 2 front QA1 adjustable shock+ 2 coil over springs 2 OBP pedal box include master cylinders and fluid reservoir 3 Browder coating treatment pre-installation works 2 Steering wheel MOMO 5 Steering wheel MOMO 5 </td <td></td> <td>4 Front head lights+ 2 turn signal lights</td>		4 Front head lights+ 2 turn signal lights
Main chassis Kit Steel tube frame consisting round tube roll-over cage and fully triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Front uprights, 2 Rear uprights 2 Laser cut aluminum floor pan fix with rivets 2 Laser cut cockpit aluminum panels x6 pieces 2 Various bolts and nuts 2 Powder coating treatment for all metal parts 3 All a-arms will be linked to chassis with rod-ends 3 4 wheel hub-bearings from Corvette C5 mounted to uprights 3 Front Witwood 6 piston brake include brake pads(a pair) 4 A pair front 13" drilled vent rotors 3 Rear Witwood 4 piston brake include brake pads(a pair) 4 Steering column+ u-joint (RIID or LIID available) 3 Steering wheel MOMO 5 Fine fitting and hours pre-installation works 2 2 front QA1 adjustable shock+ 2 coil over springs 2 OBP pedal box include master cylinders and fluid reservoir 3 Browder coating treatment pre-installation works 2 Steering wheel MOMO 5 Steering wheel MOMO 5 </td <td></td> <td></td>		
triangulated front and sides with square tubes for superior driver protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Pront a-arms, 2 Rear a-arms 2 Front uprights,2 Rear uprights 2 Laser Lut aluminum floor pan fix with rivets 2 Laser Lut cockpit aluminum panels x6 pieces 2 Various bolts and nuts 2 Power coating treatment for all metal parts 2 All a-Troin Will be linked to chassis with rod-ends 2 4 wheel hub-bearings from Corvette C5 mounted to uprights 2 Front Will be linked to chassis with rod-ends 2 A pair front 13" drilled vent rotors 2 Rear Will be linked to chassis with rod-ends 2 A pair front 13" drilled vent rotors 2 Rear Will be of piston brake include brake pads(a pair) 2 Kack & pinion Unit 2 Steering wheel MOMO 2 Steering wheel MOMO 2 QBP pedal be include shock + 2 coil over springs 2 OBP pedal be include master cylinders and fluid reservoir 2 OBP pedal be include master cylinders and fluid reservoir 2 Bingine, engine mount Engine, engine mount <td></td> <td>Chassis</td>		Chassis
protection. Designed to accept engines with up to 600 HP output. Double wishbone suspension 2 Front a-arms, 2 Rear a-arms 2 Front uprights, 2 Rear uprights Laser cut aluminum floor pan fix with rivets Laser cockpit aluminum panels x6 pieces Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends All a-arms will be linked to chassis with rod-ends A wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) Kack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine [titing and hours pre-installation works 2 front QAI adjustable shock+ 2 coil over springs OBP pedal bx include master cylinders and fluid reservoir OBP pedal bx include master cylinders and fluid reservoir	Main chassis Kit	Steel tube frame consisting round tube roll-over cage and fully
Double wishbone suspension 2 Front uprights, 2 Rear uprights 2 Front uprights, 2 Rear uprights 2 Laser cut aluminum floor pan fix with rivets 2 Laser cut cockpit aluminum panels x6 pieces 2 Various bolts and nuts 2 Powder coating treatment for all metal parts 3 All a-arms will be linked to chassis with rod-ends 4 4 wheel hub-bearings from Corvette C5 mounted to uprights 2 Front Wilwood 6 piston brake include brake pads(a pair) 4 A pair front 13" drilled vent rotors 3 Rear Wilwood 4 piston brake include brake pads(a pair) 4 Steering column+ u-joint (RHD or LHD available) 5 Steering wheel MOMO 5 Steering wheel MOMO 2 front QA1 adjustable shock+ 2 coil over springs 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir 5		
2 Front uprights,2 Rear uprights Laser cut aluminum floor pan fix with rivets Laser cut cockpit aluminum panels x6 pieces Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Reack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		protection. Designed to accept engines with up to 600 HP output.
Laser cut aluminum floor pan fix with rivets Laser cut cockpit aluminum panels x6 pieces Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Double wishbone suspension	2 Front a-arms, 2 Rear a-arms
Laser cut cockpit aluminum panels x6 pieces Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 5 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs QBP pedal box include master cylinders and fluid reservoir OBP pedal box include master cylinders and fluid reservoir		2 Front uprights,2 Rear uprights
Various bolts and nuts Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Lc	aser cut aluminum floor pan fix with rivets
Powder coating treatment for all metal parts All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Las	ser cut cockpit aluminum panels x6 pieces
All a-arms will be linked to chassis with rod-ends 4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		Various bolts and nuts
4 wheel hub-bearings from Corvette C5 mounted to uprights Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Kilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rear Kilwood 5 piston Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	i	Powder coating treatment for all metal parts
Front Wilwood 6 piston brake include brake pads(a pair) A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	All	a-arms will be linked to chassis with rod-ends
A pair front 13" drilled vent rotors Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	4 wheel	hub-bearings from Corvette C5 mounted to uprights
Rear Wilwood 4 piston brake include brake pads(a pair) A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Front	Wilwood 6 piston brake include brake pads(a pair)
A pair front 12" drilled vent rotors Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		A pair front 13" drilled vent rotors
Rack & pinion Unit Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Rear	Wilwood 4 piston brake include brake pads(a pair)
Steering column+ u-joint (RHD or LHD available) Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		A pair front 12" drilled vent rotors
Steering wheel MOMO Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		Rack & pinion Unit
Fine fitting and hours pre-installation works 2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	Stu	eering column+ u-joint (RHD or LHD available)
2 front QA1 adjustable shock+ 2 coil over springs 2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount		Steering wheel MOMO
2 rear QA1 adjustable shock+ 2 coil over springs OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	1	Fine fitting and hours pre-installation works
OBP pedal box include master cylinders and fluid reservoir What is not include: Engine, engine mount	2 fi	ront QA1 adjustable shock+ 2 coil over springs
What is not include: Engine, engine mount	2	rear QA1 adjustable shock+ 2 coil over springs
Engine, engine mount	OBP per	lal box include master cylinders and fluid reservoir
Engine, engine mount		What is not include:



Gas tank	
Fuel filler cap	
Electrical system wiring harness	
Mirrors	
Battery	
Gauges	
Radiator and cool system	
Shifting system	
Belt harness for seats	
All fitting hoses	
Brake lines and all fittings	
Interior inner door panel	
Inner door handle	
All aftermarket part not mentioned in the list above	

Notification

Due to the individual purpose of using the car by various customers, Aeromaster Sports Cars builds only component kits for our customers, that means we can provide kits or vehicles to any stage of completion, but a turnkey car. That is why we created the <u>semi-production</u> car which a completed car except the drivetrain and some mechanical parts.

Buying such a car means you can get a finished car as fast as possible, with



factory-built quality, we have done all heavy assembly works and provide cars to this level, for you or another party to just add a drivetrain.

Despite the race-inspired design, our car is strictly followed the original LMP racing shape but supplied with "E" marked glass windshields, "E" marked taillights.

If you are planning to register the car on the street, consult with us during the order process, and be sure to check with your local registration authority before you purchase a car, that the specific car you have chosen, with the options you have selected, can be registered. Because countries vary, and drivetrain choices sometimes drive registration issues, Aeromaster Sports Cars cannot warrant that any car in particular can be registered for the street in your state.